



1552 Down River Dr.
P.O. Box 907
Woodland, WA 98674
USA

Products for enjoying the journey

Tel 360.225.8247
Fax 360.225.7737
info@Talon-graphite.com
www.Talonfishing.NET

Model	Item	Length	Pieces	Line	Lure	Butt Dia	Tip in 64s	Blank wt	Blank \$	Rod \$
Fly										
Midgar										
Two-handed - Scandinavian spey										
M11'6"F-7/8	674	11'6"	3	7/8		625	5.5	3.8	320	600
M12'6F-7/8	682	12'6"	3	7/8		680	5.5	4.4	325	605
M12'6"F-8/9	681	12'6"	3	8/9		685	5.5	4.4	327	607
M13'0"F-9/10	677	13'0"	3	9/10		735	6.0	5.3	338	618
M13'0"F-10/11	676	13'0"	3	10/11		730	6.0	5.4	341	621
M14'0"F-9/10	678	14'0"	3	9/10		730	6.0	6.3	347	627
M14'0"F-10/11	465	14'0"	3	10/11		720		6.3	348	628
M15'0"F-10/11	680	15'0"	3	10/11					356	636
Companion										
4 piece										
Co8'7"F-3T4		8'7"	4	3					205	440
Co9'0"F-5T4		9'0"	4	5					225	480
Co9'0"F-6T4	719	9'0"	4	6		430	4.5	1.7	225	480
Co9'0"F-7T4	686	9'0"	4	7		445	4.5	1.8	225	480
TX4										
4 piece										
TX411'0"F-5T4	734	11'0"	4	5		440	5.0	1.9	225	450
TX411'0"F-6T4	735	11'0"	4	6		445	5.0	2.1	225	450
TX411'0"F-7T4	736	11'0"	4	7		450	5.0	2.1	225	450
TX411'0"F-8T4	737	11'0"	4	8		480	5.0	2.3	225	450
Cairnton										
3 piece										
C8'0"F-2T3	656	8'0"	3	2		335	4.0	1.6	184	388
C9'0"F-3T3	632	9'0"	3	3		360	4.0	1.4	200	420
C9'0"F-4T3	533	9'0"	3	4		370	4.0	1.7	202	424
C9'0"F-5T3	578	9'0"	3	5		365	4.0	1.7	203	426
Cairnton - Saltwater										
3 piece Saltwater										
C9'0"F-8T3	327	9'0"	3	8		365	4.5	2.2	233	493
C9'0"F-9T3	383	9'0"	3	9		395	5.5	2.5	235	495
C9'0"F-10T3	388	9'0"	3	10		485	6.0	2.5	235	495
C9'0"F-12T3	389	9'0"	3	12		510	6.0	3.4	255	515
C8'9"F-14T3	471	8'9"	3	14		530	7.0	4.7	275	535
Highlander										
Spey										
H14'0"F-10S	330	14'0"	3	10		610	6.0	5.9	238	508
H15'0"F-10S	567	15'0"	3	10		625	6.5	7.1	250	520
H16'0"F-10S	279	16'0"	3	10		630	6.5	7.5	260	531
Highlander Light										
Light Trout & Panfish										
HL6'7"F-2	486	6'7"	2	2		240	4.0	0.7	122	

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>	<i>Blank \$</i>	<i>Rod \$</i>
HL7'1"F-2/3	488	7'1"	2	2/3		260	4.0	0.7	125	
HL7'7"F-2/3	489	7'7"	2	2/3		280	4.0	0.8	130	
HL8'1"F-2/3	491	8'1"	2	2/3		285	4.0	1.1	133	
HL8'7"F-2/3	493	8'7"	2	2/3		290	4.0	0.9	137	
HL5'7"F-3	590	5'7"	2	3		210	4.5		114	
HL6'1"F-3	591	6'1"	2	3		230	4.5		119	
HL6'7"F-3	487	6'7"	2	3		250	4.0	0.7	122	
HL7'7"F-3/4	490	7'7"	2	3/4		280	4.5	1.0	131	
HL8'1"F-3/4	492	8'1"	2	3/4		280	4.0	1.1	134	
HL8'7"F-3/4	494	8'7"	2	3/4		325	4.0	1.0	140	
HL8'7"F-4/5	495	8'7"	2	4/5		335	4.5	1.3	140	

Highlander - 3 piece

Light Trout & Panfish

H9'0"F-3T3	51	9'0"	3	3		345	4.5	1.8	134	328
H7'6"F-4T3	333	7'6"	3	4		290	4.5	1.1	122	304
H8'6"F-4T3	341	8'6"	3	4		325	4.5	1.6	131	322
H9'0"F-4T3	193	9'0"	3	4		335	4.0	1.8	135	330
H9'6"F-4T3	243	9'6"	3	4		340	4.5	2.1	140	340

Medium Trout & Light Steelhead

H7'6"F-5T3	332	7'6"	3	5					124	308
H8'6"F-5T3	345	8'6"	3	5		325	4.5	1.7	132	324
H9'0"F-5T3	194	9'0"	3	5		345	4.5	1.9	136	332
H9'6"F-5T3	198	9'6"	3	5		390	4.0	1.9	141	342
H9'0"F-6T3	195	9'0"	3	6		355	4.5	2.1	137	334
H9'6"F-6T3	199	9'6"	3	6		365	4.5	2.2	142	344
H9'0"F-7T3	196	9'0"	3	7		375	5.0	2.2	153	366
H9'6"F-7T3	200	9'6"	3	7		370	4.5	2.5	157	374

ITM Balanced Graphite PLUS

Light Trout & Panfish

I7'6"F-3	504	7'6"	2	3		320	4.0	0.9	110	240
I7'9"F-3	505	7'9"	2	3		305	4.0	1.0	113	246
I7'6"F-4	507	7'6"	2	4		275	4.0	0.8	112	
I8'6"F-4	516	8'6"	2	4		330	4.0	1.1	120	
I9'0"F-4	522	9'0"	2	4		345	4.0	1.4	124	

Medium Trout & Light Steelhead

I7'6"F-5	509	7'6"	2	5		315	4.0	0.9	113	246
I8'6"F-5	517	8'6"	2	5		355	4.0	1.3	121	262
I9'0"F-5	523	9'0"	2	5		375	4.0	1.4	125	270
I9'0"F-6	524	9'0"	2	6		385	4.5	1.6	126	272
I9'6"F-6	580	9'6"	2	6		400	4.5	1.8	130	280
I9'0"F-7	525	9'0"	2	7		410	4.5	2.1	141	302
I9'6"F-7	531	9'6"	2	7		410	4.5	2.2	144	308

Travel

I9'9"F-6	740	9'9"	4	6		470	6.0	1.8	170	340
I9'9"F-7	728	9'9"	4	7		475	5.5	1.9	175	350
I9'9"F-8	729	9'9"	4	8		480	5.5	2.1	180	360
I9'9"F-9	722	9'9"	4	9		480	5.5	2.7	185	370

Travel-Special purpose

I11'9"F-6	720M	11'9"	4	6		475	4.5	2.4	200	440
I11'9"F-7	718M	11'9"	4	7		490	5.0	2.4	205	440
I11'9"F-8	716M	11'9"	4	8		490	5.5	2.5	210	440

VI Balanced Graphite PLUS

Light Trout & Panfish

6'6"F-2	1	6'6"	2	2		255	4.5	0.7	83	203
---------	---	------	---	---	--	-----	-----	-----	----	-----

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>	<i>Blank \$</i>	<i>Rod \$</i>
7'6"F-2	337	7'6"	2	2		310	4.0	1.0	88	208
6'6"F-3	338	6'6"	2	3					84	204
7'0"F-3	325	7'0"	2	3		260	4.0	0.8	86	206
7'6"F-3	339	7'6"	2	3		320	4.0		89	209
7'9"F-3	7	7'9"	2	3		305	4.0	1.1	91	211
7'0"F-4	2	7'0"	2	4		265	4.0	0.8	87	207
7'6"F-4	4	7'6"	2	4		275	4.0	0.9	90	210
8'6"F-4	11	8'6"	2	4		330	4.0	1.2	96	216
9'0"F-4	19	9'0"	2	4		345	4.0	1.5	99	219
Medium Trout & Light Steelhead										
7'6"F-5	6	7'6"	2	5		315	4.0	1.0	91	211
8'6"F-5	12	8'6"	2	5		355	4.0	1.4	97	217
9'0"F-5	20	9'0"	2	5		375	4.0	1.5	100	220
9'6"F-5	30	9'6"	2	5		395	4.5	2.1	103	223
9'0"F-6	21	9'0"	2	6		385	4.5	1.7	101	221
9'6"F-6	31	9'6"	2	6		400	4.5	1.9	104	224
9'0"F-7	23	9'0"	2	7		410	4.5	2.2	112	232
9'6"F-7	32	9'6"	2	7		410	4.5	2.3	114	234
Bass, Salmon & Steelhead										
9'0"F-8	25	9'0"	2	8		415	4.5	1.9	114	234
9'6"F-8	33	9'6"	2	8		425	4.5	1.9	117	237
VI Balanced Graphite PLUS - 4 piece										
Light Trout & Panfish										
7'6"F-4T4	5	7'6"	4	4		345	4.5	1.1	126	246
9'0"F-4T4	535	9'0"	4	4		380	4.5	1.9	146	266
Medium Trout & Light Steelhead										
9'0"F-5T4	534	9'0"	4	5		425	4.5	2.0	151	271
9'0"F-7T4	24	9'0"	4	7		415	5.0	2.3	156	276
Bass, Salmon & Steelhead										
9'0"F-8T4	429	9'0"	4	8		420	5.0	2.4	159	279
Baitcast & Spin										
HTM Balanced Graphite										
Carp										
12'0"	390	12'0"	2		2	490	4.5	7.2	190	
12'0"	376	12'0"	2		2 1/2	490	5.0	7.5	190	
12'6"	391	12'6"	2		3	560	5.0	8.4	209	
12'6"	628	12'6"	2		4	635	6.0	9.0	218	
12'6"	698	12'6"	2		4.5	700	6.5	9.3	221	
13'0"	392	13'0"	2		3 1/2	595	5.5	8.8	218	
ITM Balanced Graphite PLUS										
Float										
11'6"	733	11'6"	3			480	5.0	2.2	180	330
113'0"	717	13'0"	3			535	4.5	3.1	200	350
VI Balanced Graphite PLUS										
Light Spin										
4'6"-US	60	4'6"	1	1-4	1/16-3/16	275	4.0	0.5	42	109
5'0"-US	61	5'0"	1	1-4	1/16-3/16	245	4.5	0.6	46	117
5'0"-US2	177	5'0"	2	1-4	1/16-3/16	255	5.0	0.7	70	145
5'6"-US	65	5'6"	1	1-4	1/16-1/4	315	4.5	0.7	50	125
5'6"-US2	141	5'6"	2	1-4	1/16-1/4	245	4.0	0.7	74	153
6'0"-US	74	6'0"	1	1-4	1/16-1/4	335	4.0	1.0	54	133
6'0"-US2	156	6'0"	2	1-4	1/16-1/4	280	4.5	0.8	78	151
6'0"-UM2	75	6'0"	2	2-6	1/8-1/4	295	4.5	0.9	78	151

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>	<i>Blank \$</i>	<i>Rod \$</i>
7'0"-UM2	91	7'0"	2	2-6	1/8-1/4	330	5.0	1.2	86	167
Musky										
6'4"-HM	82	6'4"	1	15-30	3/4-2 1/2	555	6.5	2.6	97	165
6'6"-XXH	644	6'6"	1	25-40		830			97	165
6'9"-H	277	6'9"	1	15-30					99	168
6'10"-XHM	381	6'10"	1	15-40	3/4-4	635		5.4	101	172
Bass & Walleye										
5'6"-LF	241	5'6"	1	6-12	3/16-3/8	485	5.0	1.8	63	125
5'6"-MLF	68	5'6"	1	6-17	1/4-5/8	480	5.0	1.6	63	125
5'8"-MLF	178	5'8"	1	6-15	3/16-3/8	425	5.0	1.7	64	130
6'0"-MLF	79	6'0"	1	6-17	1/4-5/8	525	5.5	1.6	67	135
6'0"MLFC	145	6'0"	1	6-17	1/4-5/8	440	5.0	2.1	67	135
6'6"-MLF	87	6'6"	1	6-17	1/4-5/8	555	5.0	1.9	71	140
6'6"-MF2	88	6'6"	2	4-10	1/8-5/16	490	5.0	1.5	71	140
Mag Bass										
6'0"-MXF	80	6'0"	1	8-20	3/8-3/4	510	5.0	1.8	80	150
6'0"-MHF	81	6'0"	1	12-25	1/2-1	510	6.5	2.2	84	154
6'6"-MXF	89	6'6"	1	8-20	3/8-3/4	560	5.0	2.2	84	154
6'6"-MHF	140	6'6"	1	12-25	1/2-1	565	5.0	2.6	89	159
6'6"-MHXF	90	6'6"	1	8-25	3/8-1	550	4.5	1.9	80	150
6'8"-MXF	551	6'8"	1	8-15	1/2-3/4	520	4.5	2.5	87	157
7'0"-MMF	97	7'0"	1	10-20	1/2-1 1/2	600	5.5	2.7	90	160
7'0"-MXF	99	7'0"	1	6-17	1/8-3/4	595	5.0	2.6	87	157
7'0"-MHF	100	7'0"	1	15-30	3/4-2 1/4	600	6.5	3.7	96	166
7'0"-MHF2	592	7'0"	2	12-25	1/2-1	560	6.0		111	
7'0"-MHXF	101	7'0"	1	12-25	5/8-2	525	5.5	2.3	87	157
7'0"-HMF	157	7'0"	1	12-20	3/8-2	605	5.0	3.0	92	162
7'0"-HF	158	7'0"	1	10-17	3/8-1	615	5.5	3.3	94	164
7'0"-XHF	172	7'0"	1	15-25	3/8-3	610	6.5	3.6	97	167
Flippin & Extendables										
6'10"-MHF(E)	555	6'10"	1E	10-17	3/8-1	645	5.0	3.1	108	173
7'0"-MF(E)	176	7'0"	1E	8-17	3/8-3/4	620	5.5	3.6	110	175
7'6"-MHF(E)	134	7'6"	1E	12-25	1/2-1 3/4	665	7.0	3.5	115	195
7'6"-HMF(E)	108	7'6"	1E	15-30	1/2-2	675	6.5	4.0	115	195
Light Saltwater & Special Purpose										
7'0"-LF	93	7'0"	1	6-12	1/4-1/2	425	5.0	2.0	84	164
7'0"-LF2	556	7'0"	2	4-8	1/4-1/2	420	4.5	1.0	99	180
7'0"-MLF	95	7'0"	1	4-10	1/8-5/16	484	5.5	1.6	85	164
7'0"-MLF2	96	7'0"	2	4-10	1/8-5/16	385	5.0	2.0	100	180
7'0"-MLXF	173	7'0"	1	6-10	1/4-1/2	495	5.0	1.6	83	165
7'0"-MF	98	7'0"	1	8-17	3/8-3/4	500	5.5	2.3	87	167
7'0"-MF2	557	7'0"	2	8-17	3/8-3/4	530	5.5	2.3	102	182
7'6"-MLF	136	7'6"	1	6-12	5/16-9/16	520	5.5	2.0	89	169
7'6"-MF	104	7'6"	1	8-17	3/8-3/4	520	5.5	2.7	90	170
7'6"-MF2	559	7'6"	2	8-17	3/8-3/4	480	5.5	2.4	105	185
Salmon & Steelhead										
7'6"-MXF	105	7'6"	1	8-20	1/4-3	560	5.5	2.9	91	135
7'6"-MXHF	135	7'6"	1	12-25	1/2-3	605	6.5	3.4	107	145
7'6"-HF	109	7'6"	1	12-25	3/4-4	640	6.5	4.7	119	145
7'9"-L	84	7'9"	1	12-25	1/4-1 1/2	825	5.5		91	135
7'9"-ML	293	7'9"	1	12-25	3/8-2	820	6.0	3.0	95	135
7'9"-H	53	7'9"	1	15-30	3/4-2 1/2	825	7.0	3.8	119	145
8'3"-MLXF2	113	8'3"	2	6-10	1/4-1/2	480	5.0	2.4	110	220
8'6"-MLXF2	54	8'6"	2	6-10	1/4-1/2	500	5.0	2.3	113	226
8'6"-MF2	114	8'6"	2	6-15	3/8-3/4	500	5.5	2.6	113	226
8'6"-MXF2	116	8'6"	2	8-20	1/4-3	590	5.0	3.3	113	226

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>	<i>Blank \$</i>	<i>Rod \$</i>
8'6"-MHF2	117	8'6"	2	10-20	3/8-4	485	5.5	2.8	113	226
8'6"-HMF2	209	8'6"	2	15-30	1/2-4	525	6.0	3.3	113	
9'0"-LMF2	119	9'0"	2	4-8	1/8-3/8	440	4.5	2.7	118	236
9'0"-MLXF2	483	9'0"	2	6-10	1/4-1/2				120	240
9'0"-MF2	120	9'0"	2	6-15	3/8-3/4	510	5.0	3.0	120	240
9'0"-MXF2	143	9'0"	2	8-20	1/4-3	605	4.5	3.4	120	240
9'0"-MHXF2	142	9'0"	2	10-20	3/8-4	590	6.0	3.2	120	240
9'0"-HXF2	137	9'0"	2	10-25	1-3	600	6.0	3.6	134	268
9'0"-XHF2	121	9'0"	2	15-30	2-6	640	6.0	4.6	154	295
9'0"-XXHF2	122	9'0"	2	20-30	2-6	640	6.5	5.8	174	
9'6"-M2	58	9'6"	2	8-17	3/4-1	590	6.5	3.7	125	240
10'0"-MLXF2	484	10'0"	2	6-10	1/4-1/2	540	4.5	3.2	130	245
10'0"-MXF2	660	10'0"	2	8-20	1/4-3	660	4.5		130	245
10'0"-MHXF2	664	10'0"	2	10-20	3/8-4	625	4.5		130	245
10'0"-MF2	123	10'0"	2	6-15	3/8-3/4	560	5.0	3.3	130	245
10'6"-LL2	640	10'6"	2	6-10	1/8-3/8	560	5.0	4.3	135	255
10'6"-L2	184	10'6"	2	6-10	1/4-1/2	565	6.0	4.4	135	255
10'6"-MF2	125	10'6"	2	6-15	3/8-3/4	555	5.0	4.4	135	255
10'6"-MHM2	126	10'6"	2	8-20	1/2-1 1/2	565	5.5	4.4	135	255
11'2"-LT2	377	11'2"	2	4-8	1/16-3/8	630	6.0	4.4	140	260
11'2"-M2	186	11'2"	2	10-20	1/2-1 1/2	680	6.5	5.5	140	260
11'6"-H2	187	11'6"	2	17-30	3/4-2 1/2	840	7.0	8.4	186	
11'8"-LT2	59	11'8"	2	4-8	1/16-1/4	495	5.5	3.4	145	260

Float

11'6"-UL3	690	11'6"	3	4-8		475	5.0	2.6	133	288
13'0"-UL3	694	13'0"	3	4-8		545	5.5	3.3	148	298

Saltwater & Surf

10'6"-MHF2	127	10'6"	2	8-20	1/2-1 1/2	655	6.0	4.1	162	230
10'6"-HMF2	128	10'6"	2	10-30	1-3	660	6.5	4.7	166	233
10'6"-HMXF2	129	10'6"	2	10-25	3/4-2	660	5.5	3.6	166	233
11'0"-XXHF	174	11'0"	2	30-60	8-16	925	8.5	11.8	225	280
11'6"-MHM2	131	11'6"	2	10-30	1-3	785	8.0	7.4	185	248
11'6"-HM2	132	11'6"	2	12-40	4-10	800	9.5	7.5	191	253

Travel

7'0"-ULF3	564	7'0"	3	4-8	1/8-5/16	405	5.0	1.4	129	250
7'0"-LF3	190	7'0"	3	6-12	1/4-1/2	335	5.0	1.6	129	250
7'0"-MF3	191	7'0"	3	8-17	3/8-3/4	475	6.0	1.7	135	250
8'6"-MHF4	192	8'6"	4	8-20	1/2-1 1/2	470	5.0	2.6	156	296
9'0"-MF3	445	9'0"	3	6-15	3/8-3/4		5.5	4.7	139	232
9'6"-MH3	635	9'6"	3	8-20	1/4-1 1/2	690	5.0	4.7	149	232
10'0"-MF3	637	10'0"	3	6-15	3/8-3/4	560	5.0	3.5	159	252
10'0"-MLXF3	636	10'0"	3	6-10	1/4-1/2	555	4.5	3.5	159	252
13'0"-ML3	651	13'0"	3	8-17	3/4-1	700	4.5		189	279
13'0"-M3	479	13'0"	3	8-20	1/2-1 1/2	770	5.5	6.7	189	279
13'0"-MH3	472	13'0"	3	15-25	1/2-2 1/2	780	6.5	7.6	189	279

VI Balanced Graphite PLUS

Menpachi

12'0"-MF	CY035	12'0"	2	6-12	1/2-1	830	6.0	5.3	92	
12'0"-F	CY038	12'0"	2	8-17	3/4-1 1/2	840	6.0	5.5	92	
13'0"-MF	CY028	13'0"	2	6-12	1/2-1	875	5.5	5.7	106	
13'0"-F	CY031	13'0"	2	8-17	3/4-1 1/2	900	6.0	6.2	106	
14'0"-MF	CY044	14'0"	2	6-12	1/2-1	940	6.0	6.3	118	
14'0"-F	CY051	14'0"	2	8-17	3/4-1 1/2	940	6.0	6.9	118	

VI Balanced Graphite PLUS

Giant Travelle (Ulua) 24 mm

<i>Model</i>	<i>Item</i>	<i>Length</i>	<i>Pieces</i>	<i>Line</i>	<i>Lure</i>	<i>Butt Dia</i>	<i>Tip in 64s</i>	<i>Blank wt</i>	<i>Blank \$</i>	<i>Rod \$</i>
--------------	-------------	---------------	---------------	-------------	-------------	-----------------	-------------------	-----------------	-----------------	---------------

12'0"-Pluggin	CY058	12'0"	2				12.0	15.0	246	
---------------	-------	-------	---	--	--	--	------	------	-----	--

VI Balanced Graphite PLUS

Giant Travelle (Ulua) 26 mm

13'0"-Light	CY015	13'0"	2	50-60	6-8		12.0	20.0	272	
13'0"-Medium	CY017	13'0"	2	60-80	6-8		14.0	22.0	272	
13'0"-Heavy	CY013	13'0"	2	60-80	8-10		15.0	22.0	272	
14'0"-Light	CY040	14'0"	2	25-40	4-6		12.0	20.0	297	
14'0"-Medium	CY029	14'0"	2	30-50	6-8		11.0	21.0	297	

VI Balanced Graphite PLUS

Giant Travelle (Ulua) 28 mm

12'0"-Heavy	CY059	12'0"	2	60-80	8-10				263	
12'6"-Heavy	CY061	12'6"	2	60-80	8-11	000			287	
13'0"-Heavy	CY026	13'0"	2	60-80	8-10		16.0	23.0	297	
13'0"-Ex-Heavy	CY048	13'0"	2	60-80	8-11		17.0	23.0	297	
13'6"-Medium	CY047	13'6"	2	60-80	8-10			28.0	315	
13'6"-Heavy	CY050	13'6"	2	60-80	8-11			28.0	315	
14'0"-Medium	CY033	14'0"	2	50-60	8-10		13.0	24.0	315	
14'0"-Med/Hvy	CY039	14'0"	2	60-80	8-10		14.0	25.0	315	